EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	(("6745368") or ("6629138") or ("6374404")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 12:03
L2	1	1 and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 11:44
L3	0	@ad<"20010103" and "725"/$.ccls. and (cache same (digital adj signature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 11:52
L4	0	@ad<"20010103" and "725"/$.ccls. and (cach$3 same (digital adj signature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 11:46
L5	1	@ad<"20010103" and "725"/$.ccls. and (cach$3 same (signature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 11:46
L6	0	@ad<"20010103" and "725"/$.ccls. and (cach$3 with (digital adj signature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 11:53
L7	1	@ad<"20010103" and "725"/$.ccls. and (cach$3 with (signature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 11:52
L8	12	@ad<"20010103" and (cach$3 with (digital adj signature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 11:53

L9	3	@ad<"20010103" and (cach$3 with (miss or hit) with (digital adj signature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 11:56
L10	0	@ad<"20010103" and (cach$3 with (search$3) with (digital adj signature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 11:54
L11	6	@ad<"20010103" and ((cach$3 with (search$3 or hit or miss)) same (digital adj signature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 11:55
L12	17	@ad<"20010103" and (cach$3 with (miss or hit or search$3) with (signature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:00
L13	0	@ad<"20010103" and "725"/$.ccls. and cache and ((hit or miss) with (signature or hash))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:00
L14	6	@ad<"20010103" and "725"/$.ccls. and cache and ((hit or miss or search$3) with (signature or hash))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:04
L15	19196	@ad<"20010103" and 715/500.1. ccls. (digital adj signature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:05
L16	1	@ad<"20010103" and 715/500.1. ccls. and (digital adj signature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:06

L17	111	@ad<"20010103" and "715"/$.ccls. and (digital adj signature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:06
L18	37	@ad<"20010103" and "715"/$.ccls. and cache and (digital adj signature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:06
L19	4	@ad<"20010103" and "715"/$.ccls. and (cache same (digital adj signature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:14
L20	0	@ad<"20010103" and "715"/$.ccls. and (cache same (creat$3 near3 signature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:14
L21	0	@ad<"20010103" and "715"/$.ccls. and (cache same (creat$3 with signature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:30
L22	10	@ad<"20010103" and "725"/$.ccls. and (cache same (unique$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:33
L23	23	@ad<"20010103" and "725"/$.ccls. and (cache same (id or indent$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:34
L24	0	@ad<"20010103" and "725"/$.ccls. and (cache same ((id or indent$5) with (hit or miss)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:33

L25	2	@ad<"20010103" and "725"/$.ccls. and cache.ti. and (id or indent$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:35
L26	0	@ad<"20010103" and "725"/$.ccls. and cach$3.ti. and (signature with (hit or miss))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:35
L27	8	@ad<"20010103" and cach$3.ti. and (signature with (hit or miss))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:38
L28	9	@ad<"20010103" and cach$3.ti. and (signature with (search$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:40
L29	7	28 not 27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:38
L30	141	@ad<"20010103" and cach$3.ti. and (key with (search$3 or hit or miss))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:40
L31	0	@ad<"20010103" and "725"/$.ccls. and cach$3.ti. and (key with (search$3 or hit or miss))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:41
L32	83	@ad<"20010103" and cach$3.ti. and (key near3 (search$3 or hit or miss))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:41

L33	28	@ad<"20010103" and cach$3.ti. and (key near3 (hit or miss))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/02 12:41
S1	326	(725/142).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 11:40
S2	12765	(725/1-153).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 10:14
S3	19	S2 and (cache adj miss)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:20
S4	38	S2 and (cache same (valid$3 or expir$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:51
S5	4	(stt or stb or (set adj top adj box) or (set adj top adj terminal)) and (cache same (date near3 stor$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:54
S6	38	(cache same ((date near3 stor$3) with (expir$5 or valid$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:59
S7	0	(cache same ((expir$5 or valid$4) with date with set with current with stor$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:59

S8	13	(cache same ((expir$5 or valid$4) with date with set with stor$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:04
S9	27	(cache same ((expir$5 or valid$4) with (current adj date)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:07
S10	25	(cache same ((expir$5 or valid$4) with (stor$3 near2 date)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:18
S11	0	cache and (each with ((expir$5 or valid$4) near2 date))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:19
S12	34	cache and (individual with ((expir$5 or valid$4) near2 date))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:20
S13	23	cache and ((category or genre) with ((expir$5 or valid$4) near2 date))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:24
S14	182	((category or genre) with ((expir$5 or valid$4) near2 date))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:24
S15	160	((category or genre) with ((expir$5 or valid$4) adj date))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:24

S16	46	((category or genre) with ((expir$5 or valid$4) adj date)) and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:26
S17	2	((category or genre) with (depend or based) with ((expir$5 or valid$4) near3 date)) and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:30
S18	3	((subject) with (depend or based) with ((expir$5 or valid$4) near3 date)) and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:32
S19	31	((type grouping group) with (depend or based) with ((expir$5 or valid$4) near3 date)) and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:33
S20	0	cache and ((type grouping group) with (depend or based) with ((expir$5 or valid$4) near3 date)) and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:33
S21	31	((type grouping group) with (depend or based) with ((expir$5 or valid$4) near3 date)) and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:56
S22	1	pct/fr00/01836	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 11:56
S23	967	(715/500.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 08:56

S24	14	"5818510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 09:02
S25	4	(sarfati near2 claude).in. and (delaunay near1 eric).in. and (omari near1 abdellah).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/10 09:02
S26	7	(stb or (set adj top adj box) or (set adj top adj terminal)) and (cache same (display adj buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 15:28
S27	1071	(cache or caching) and ((expire or expiration) with (content or type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 08:49
S28	13412	(725/$3).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/19 08:46
S29	61	S27 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 08:46
S30	12	S27 and S28 and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 08:52
S31	79	(cache or caching) and ((expire or expiration) with based with (content or type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 08:49

EAST Search History

S32	83	(cache or caching) and ((expire or expiration) with (base or basing or based) with (content or type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 08:52
S33	3	S32 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 08:50
S34	20	(cache or caching) and ((expire or expiration) with (base or basing or based) with (content or type)) and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 08:57
S35	5	(cache or caching) and ((expire or expiration) with (base or basing or based) with (type)) and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 10:10
S36	80	(cache or caching or store or storing) same ((expire or expiration) with (based or basing or base) with (content or type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 10:11
S37	19	((cache or caching or store or storing) same ((expire or expiration) with (based or basing or base) with (content or type))) and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 10:12
S38	1947	(cache with (affix$3 or assign$3 or enter$3 or set or setting) with valid$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 10:04
S39	0	(cache with (affix$3 or assign$3 or enter$3 or set or setting) with valid$3) and "725"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 10:05

EAST Search History

S40	1128	(cache with (affix$3 or assign$3 or enter$3 or set or setting) with valid$3) and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 10:05
S41	90	(cache with (affix$3 or assign$3 or enter$3 or set or setting) with valid$3 with (time or date)) and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 10:05
S42	1	(cache with (affix$3 or assign$3 or enter$3 or set or setting) with valid$3 with (time or date) with type) and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 10:06